BIOSTIMULANT FOR PLANT

ECTAR INTENSE Agronutrition

MADE IN FRANCE

ENHANCE COLOUR OF RED FRUITS AND VEGETABLES

NutriCare technologies

PROTEIN EXTRACT

ASSOCIATED WITH NUTRIENT(S)

Calcium: 114 g/L



Specifications

PACK SIZE 10 I

FORMULATION Nutricitor

CHECK CONDITION OF PRODUCT AT 30 months

APPLICATION

Foliar

AMINO-ALCOHOL FREE

STORAGE CONDITIONS Store away from frost.

Agronomic interests

ROLE OF ACTIVE INGREDIENT

Nutricitor:

- Activate the metabolism activity with a specific cellular signal (elicitor) and a selected nutrient, Calcium, to improve quality of yield.

PRODUCT SPECIFICATIONS

NECTAR INTENSE is a biostimulant combining a protein extract with a calcium base. NECTAR INTENSE enhances colouring of red fruits and vegetables.

FORM

Liquid (SC)

DENSITY

1.27

NECTAR INTENSES' protein extract stimulates a secondary metabolism, inducing Anthocyanins production, which enhances pigments of red skin.

Protein extract signals development in the cell, amplifying the signal to the whole plant.

NECTAR INTENSE is a ready to use liquid with a soft action on fruits and vegetables.

FEATURES AND BENEFITS OF THE FORMULATION

- Enhance colour of red fruits and vegetables
- Shift fruit class up from lower to higher grade.
- Reduce number of picks at harvest.
- No effect on sugar level more colour with same
- Improve skin quality and enhance colour, whilst maintaining the brix and pH levels of the fruit.

Directions of use

CROP RECOMMENDATIONS

- > FRUIT TREES (stone and pip fruit) Rate: 2 L/ha in 200 L min of water Timing: up to 5 applications at 10-14 day intervals from C-C3 stage and during the swelling of the fruits.
- > RED COLOUR SPRAY: VINE, FRUIT TREES Rate: 5 L/ha in 500 to 1500 L/ha of water Timing: 2 to 3 weeks before harvest.

Rate: 10 L/ha when water rate is above 1500L/ha.

> OTHER CROPS AND VEGETABLES (tomato, strawberry...) - Rate: 2 L/ha in 200 L min of water - Timing: 4 to 6 applications at 10-14 day intervals on well-established crops.

Instructions for use

For best results, use sufficient water to achieve an even crop coverage to the point of run-off.

Avoid spraying in very strong sunlight and/or very high temperatures. If possible, apply during evening or early morning especially if day-time temperatures exceed 28oC. Very young foliage and crops under stress may be more susceptible to scorch. Lower doses should be applied in these circumstances and the application interval reduced accordingly. Refer to the Crop Recommendations table for application rates and timings for individual crops.

Precautions

- In Fill the spray tank with half the required amount of water and start agitation.

 1. Fill the spray tank with half the required amount of water and start agitation.

 2. Add the required amount of NECTAR Intense and then add the rest of the water, maintaining agitation continuously. When combining with other components in a tank-mix, always add NECTAR Intense last. Do not allow the mixture to stand without agitation.

 3. After spraying, clean and rinse the spraying equipment thoroughly.

IMPORTANT: respect the uses, doses, conditions and instructions for use mentioned on the packaging, which are determined according to the characteristics of the product and the applications for which it is recommended. On this basis, conduct the crop and treatments according to the best agricultural practices taking into account, under your responsibility, all the specific factors concerning your farm, such as soil characteristics, weather conditions, cropping methods, cultivars and their specific resistances. AGRONUTRITION guarantees the quality its products only in their initial packaging over the period indicated on the manufacturer's certificates. They guarantee their conformity to the composition indicated on the packaging and to the regulations currently in force. Precautionary measure brochures are available on request. To request a MSDS, thank you to contact: fds-msds@agro-nutrition.fr